

Docket No. 56815.1400
USSN 10/568,270

Patent

IN THE UNITED STATES DESIGNATED/ELECTED OFFICE

In re U.S. Application of:)	
Yajuan WU)	
)	
Application No.: 10/568,270)	
)	Examienr: Quan M. Hua
Filed: October 16, 2006)	
)	Group Art Unit: 4146
For: A METHOD FOR PROCESSING CREATE)	
PACKET DATA PROTOCOL CONTEXT)	Confirmation No. 3304
REQUEST)	

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

MAIL STOP AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Notice of Non-Compliant Amendment mailed November 5, 2008, Applicant respectfully re-submits the listing of claims beginning at page 2 of this paper. The claims clearly display the newly added claim language which was not contained in the Preliminary Amendment filed October 16, 2006.

Remarks begin on page 6 of this paper.

CLAIMS

This listing of claims will replace all prior versions, and listings of claims in the application:

Claims

1. (Original) A method for processing Create Packet Data Protocol (PDP) Context Request, comprising:

- 1) storing Cause values of different versions as well as definitions for all the Cause values in the GSN (GPRS Support Node) receiving Create PDP Context Request messages;
- 2) after receiving the Create PDP Context Request, the GSN checking the version number, performing internal processing, and filling a Cause value of the identical version in Create PDP Context Response according to the processing result and the version number of the Create PDP Context Request ;
- 3) encapsulating the Create PDP Context Response , and returning it to the sender of the Create PDP Context Request.

2. (Original) The processing method according to claim 1, wherein the different versions comprise the GTPv0 version and GTPv1 version; and the definition f or Cause values in the GTPv1 version includes at least the following descriptions:

- a) "All dynamic PDP addresses are occupied" indicates that no free dynamic PDP address is available in the GSN which can be allocated to the UE (User Equipment) initiating an activation;

b) "No memory is available" indicates that no enough memory is available in the GSN to support the activation;

c) "No resources available" indicates that some kinds of resources have been used up temporarily and the activation can not be supported.

3. (Original) The processing method according to claim 1, wherein the Step 2) comprises:

2a) after receiving the Create PDP Context Request message, the GSN checking the version number of the message according to the message header thereof, if it is the GTPv1 version, performing Steps 2b)~2g) only; otherwise, performing Steps 2h)~2k) only;

2b) the GSN performing internal processing and getting a processing result;

2c) if the processing result is that the GSN has created a PDP context successfully, the Cause value is set as "Request Accepted";

2d) if the processing result is that the GSN fails to create a PDP context because no free dynamic PDP address is available, the Cause value is set as "All dynamic PDP addresses are occupied";

2e) if the processing result is that the GSN fails to create a PDP context because there is no enough memory available, the Cause value is set as "No memory is available";

2f) if the processing result is that the GSN fails to create a PDP context because of lack of resources, the Cause value is set as "No resources available";

2g) if the processing result is that the GSN fails to create a PDP context due to reasons other than the above, the Cause value is set according to the existing descriptions in the specifications of the GTPv1 version;

- 2h) the GSN performing internal processing and getting a processing result;
- 2i) if the processing result is that the GSN has created a PDP context successfully, the Cause value is set as "Request Accepted";
- 2j) if the processing result is that the GSN fails to create a PDP context because no free dynamic PDP address is available, or there is no enough memory available, or because of lack of other resources, the Cause value is set as "No resources available";
- 2k) if the processing result is that the GSN fails to create a PDP context due to reasons other than the above, the Cause value is set according to the existing descriptions in the specifications of the GTPv0 version.

4. (Original) The processing method according to claim 1, wherein the Step 2) comprises:

- 2A) the GSN receiving the Create PDP Context Request message;
- 2B) the GSN performing internal processing and getting a processing result;
- 2C) if the processing result is that the GSN has created a PDP context successfully, the Cause value is set as "Request Accepted";
- 2D) if the processing result is that the GSN fails to create a PDP context because no free dynamic PDP address is available, reading the Create PDP Context Request message and checking the version number of the message according to the message header thereof, if it is the GTPv1 version, the Cause value is set as "All dynamic PDP addresses are occupied" ; otherwise, it is the GTPv0 version, and the Cause value is set as "No resources available";
- 2E) if the processing result is that the GSN fails to create a PDP context because there is no enough memory available, reading the Create PDP Context Request message and

checking the version number of the message according to the message header thereof, if it is the GTPv1 version, the Cause value is set as "No memory is available"; otherwise, it is the GTPv0 version, and the Cause value is set as "No resources available";

2F) if the processing result is that the GSN fails to create a PDP context due to reasons other than the above, checking the version number and setting the Cause value according to the existing descriptions in the specifications of the GTPv0 or GTPv1 version.

5. (Currently Amended) The processing method according to claim 1, ~~claims 1, 2, 3, and 4~~, wherein the GSN comprises a Gateway GPRS Supporting Node (GGSN) or a Serving GPRS Support Node (SGSN).

6. (New) The processing method according to claim 2 wherein the GSN comprises a Gateway GPRS Supporting Node (GGSN) or a Serving GPRS Support Node (SGSN).

7. (New) The processing method according to claim 3 wherein the GSN comprises a Gateway GPRS Supporting Node (GGSN) or a Serving GPRS Support Node (SGSN).


8. (New) The processing method according to claim 4 wherein the GSN comprises a Gateway GPRS Supporting Node (GGSN) or a Serving GPRS Support Node (SGSN).

REMARKS/ARGUMENTS

Applicant respectfully requests that the amendments to the claims be considered before examination of the application on the merits. No new matter or language has been inserted. The listing has been re-submitted to clearly identify new language omitted from claim 5. No fee is believed due in connection with the submission of this Response. Please charge any fee deficiencies or credit any overpayments to Deposit Account No. 50-2036 with reference to Docket No. 56815.1400.

Respectfully submitted,

BAKER & HOSTETLER LLP



Leo J. Jennings
Reg. No. 32,902

Date: November 20, 2008
Washington Square, Suite 1100
1050 Connecticut Avenue, N.W.
Washington, D.C. 20036-5304
Telephone: 202-861-1500
Facsimile: 202-861-1783